

The effect of segmentation on the performance of machine learning methods on the morphological classification of Friesien Holstein dairy cows

Amril Mutoi Siregar¹, Yohanes Aris Purwanto², Sony Hartono Wijaya³, Nahrowi⁴

¹Department of Informatics, Faculty of Computer Science, University Buana Perjuangan, Karawang, Indonesia

²Department Mechanical Engineering and Biosystems, Faculty of Agricultural Technology, IPB University, Bogor, Indonesia

³Department Computer Science, Faculty of Mathematics and Natural Sciences, IPB University, Bogor, Indonesia

⁴Department Nutrition Science and Feed Technology, Faculty of Animal Husbandry, IPB University, Bogor, Indonesia

Article Info

Article history:

Received Oct 4, 2022

Revised Jan 4, 2023

Accepted Jan 13, 2023

Keywords:

Canny

Dairy cattle

Machine learning

Mask region-based

convolutional neural networks

Morphology cow

ABSTRACT

Many classification algorithms are in the form of image pattern recognition; the approach to the complexity of the problem should be a feature of feasibility for representing images. The morphology of dairy cows greatly affects their health and milk production. The paper will apply several classification methods based on the morphology of Holstein Friesian dairy cows. To improve the accuracy of the model used, the segmentation process is the right step. In this paper, we compare several machine learning algorithms to get optimal accuracy. The algorithm used a support vector machine (SVM), artificial neural networks, random forests and logistic regression. Segmentation methods used are mask region-based convolutional neural network (R-CNN) and Canny; optimal accuracy is expected to create intelligent applications. The success of the method is measured with accuracy, precision, recall, and F1 Score, as well as testing by conducting a training-testing ratio of 90:10 and 80:20. This study discovered an artificial neural network optimal model with Canny with an accuracy of 82.50%, precision of 87.00%, recall of 79.00%, F1-score of 81.62%, and testing ratio of 90:10. While the models with the highest 80:20 ratio achieved 84.39% accuracy, 88.46% precision, 80.47%, and 83.00% F1-score with mask R-CNN with logistic regression.

This is an open access article under the [CC BY-SA](https://creativecommons.org/licenses/by-sa/4.0/) license.



Corresponding Author:

Amril Mutoi Siregar

Department of Informatics, Faculty of Computer Science, University Buana Perjuangan

Karawang, Indonesia

Email: amrilmutoi@ubpkarawang.ac.id

1. INTRODUCTION

Currently, in all countries in the world, the agricultural sector significantly contributes to the economic progress of other sectors. Since milk is the most in-demand livestock product for human survival and the quality of its production depends on the health conditions of the producing cow, it is necessary to improve livestock management and welfare standards, including for farmers [1]. Choosing a mother cow to raise is one of cattle farmers' main problems. Cows kept without good selection have an impact on cows' milk production, with various methods for classification having been conducted before.

Many studies have been conducted in the past regarding cow udder disease, which is associated with cow milk production. Simple regression methods and image processing techniques using features such as chest circumference by using mobile applications [2], body length, height, shoulder height, using the udder length feature, udder width [3] and [4]. Another feature used for calculating body measurement is live weight

[5]. However, this method of livestock classification still has many flaws, resulting in the mother cow's selection not being maximized. This classic classification method causes problems because it relies solely on the experience of an expert and cattle farmers, and the public still relies on it visually [6].

Many studies in images use the segmentation method to extract visual features in analyzing and evaluating animal health behaviour such as width, length, body posture and curvature [7], [8]. Image analysis with segmentation is evident in recording the performance of individual cows and visual displays. However, given Slam's conventional algorithm that covers the region-based convolutional neural network (R-CNN) mask-based network, relying on segmentation, for example, the position of map points is the only dense or rarely located geometric point in space.

The potential of deep neural networks in feature learning [9], [10] has enabled significant advances in object detection, segmentation, and computer vision. In terms of the Faster R-CNN method for object detection [11], which is based on the R-CNN mask method from [12], made a significant contribution. Other studies, discussing preprocessing whose results can later be used in determining the weight of cows, have at this stage conducted edge detection-based segmentation of cow images using a combination of Canny algorithms with median blur and sharp operators. The Canny algorithm is an edge detection algorithm that produces the best edge detection when used in an image state that has a lot of noise.

Another method for cow selection based on machine learning methods is expected to be a solution, making selection tools smart, precise, and simple to use. Machine learning is a popular method of analyzing problems in both quantitative and qualitative data. Machine learning research is being done to predict nitrogen excretion [13], individual insemination of cows based on phenotype and genotype [14], the breeding value of Friesian Holstein cows during lactation [15], the characterization of prepartum behavior and the calving process in dairy cows [16], predicting the outcome of conception for future mating is helpful for producers [17], and identifying dairy cows based on their tailheads [18].

This research uses machine learning methods by maximizing the segmentation process to improve accuracy when the classification stage. The segmentation used is edge detection with the Canny algorithm and mask R-CNN. The goal is to find a suitable model that can tell how good a cow is based on how it looks.

2. METHOD

This section presents the methods and materials used in carrying out tasks in research. This section is practiced in several parts. Research has several stages such as preprocessing, modeling and evaluation. Each stage has several steps such as preprocessing using canny and mask R-CNN, modeling including four algorithms support vector machine (SVM), logistic regression, random forest and artificial neural network, as well as model evaluation using accuracy, precision, recall and f1-score. Figure 1 shows the research flow used.




Figure 1. Proposed methods

2.1. Data acquisition

Friesian Holstein dairy data collection on Indonesia was taken from 2 farms, namely Cibugary East Jakarta at an altitude of 50 m above sea level and Pak Haji Acep's Kunak Bogor farm at a length of 190-330 m above sea level. Object 102: cows with two positions, the side and back. Shooting is done before milking, object retrieval distance is 2-2.5 meters, and image resolution is set to 3456×5184 pixels with a digital DSLR camera [19], [20]. The total dataset of 102 cows consists of 5 side views and five rear views, so a total of 1020 images comprised of three categories, namely high, medium and low.

2.2. Segmentations

First, the collected morphological images will improve quality by brightening, sharpening, blurring, and separating objects and backgrounds in cow images as segmentation steps to filter dairy cow image pixels. To do this, zero colour capture is set as a background image and then reduced to the cow's image, reducing the noise. Thus, only the back of the cow, not in the background image, is preserved. Such pixels have been removed from the picture of the cow, as this difference can be generated by small changes in the camera's size. Canny and mask R-CNN algorithm approaches are used for segmentation [10], [21]. Figure 2 illustration of canny algorithm and mask R-CNN segmentation results.




Figure 2. Illustration of canny and mask R-CNN segmentation results

2.3. Canny edge detection

Canny edge detection, developed by John F. Canny in 1986, is commonly used in a digital image to detect edges. Edge detection is an important step in the digital image processing process. [22], including the first steps for pattern recognition and segmentation [23]. In this study, the edges of the dairy cow image were used to extract useful information from the imagery. Here are the edge detection steps. The Canny algorithm's final step is to compute hysteresis thresholds. If the pixel value of the previous processing result has a value greater than the upper threshold, then the pixel will be accepted as the edge of the image. If the pixel value of the previous process result has a lower value than the lower threshold, then the pixel was rejected or not considered the edge of the image. If the pixel value of the previous process has a value between the upper threshold and lower threshold, then this pixel will be accepted only if it is connected to a pixel whose value is greater than the upper threshold value [24]. Figure 3 shows the flow of Canny's algorithm.




Figure 3. Canny algorithm method

2.4. Mask R-CNN

The mask R-CNN model is an instance segmentation method that includes additional branches such as Figure 4 as the R-CNN mask architecture [12]. mask R-CNN have two stages: the region proposal network (RPN) stage and the faster R-CNN [25]. The second phase involves mask R-CNN outputting with binary masks for each region of interest in parallel for class, box and mask predictions. Mask R-CNN is different from R-CNN, which is faster because it has a classification level after segmentation. The instant segmentation method focuses on object segmentation in cow images [10]. Enhanced mask R-CNN is proposed for instanced segmentation of dairy cow morphology and continued classification using machine learning with SVM, logistic regression, random forest, and artificial neural network algorithms. Figure 4 is a workflow for the mask R-CNN model.




Figure 4. Mask R-CNN method

2.5. Support vector machine (SVM)

SVM is a popular algorithm because it can handle continuous data and categories and is very good for regression and classification cases. First introduced in the 1960s and then presented in 1990. The performance of the SVM model is a representation of different classes in a multidimensional space with hyperplanes. To minimize errors, hyperplanes are needed to be generated iteratively.

SVM's task is to divide the dataset into classes to find the maximum marginal hyperplane (MMH). It is implemented with the kernel, namely changing the input data space into the desired form. The SVM technique is also called the "kernel trick", in which the kernel converts low-dimensional space into higher-dimensional space. A kernel can turn a problem into multiple problems and put more dimensions into it, making SVM more accurate, robust and flexible. The following is the type of kernel used in this study radial base function (RBF) Kernel, widely used in classification, which can drain the input space into infinite dimensional space.

2.6. Random forest classifier

Random forest is one of the machine learning algorithms used for regression and classification [26]. Classification problems have many algorithms, such as decision trees and more and more trees, which are often referred to as random forests, how the random forest algorithm works by making tree decisions on sample data, then getting predictions from each and finally choosing the best solution through voting. This method is well-known with an ensemble as having better performance than a single decision tree because it can reduce overfitting by averaging the results in stages. The random forest algorithm has the following steps.

- a. Selection of a random sample from a collection of datasets.
- b. Build a decision tree for each sample. Then the prediction results from each decision tree.
- c. Vote for each prediction result.
- d. Choose the prediction result that is most chosen as the final prediction result.

2.7. Logistic regression classifier

The logistic regression algorithm is widely used for various classification problems because it is known to be efficient and straightforward [27]. The logistic regression algorithm can be applied directly to pixels after the preprocessing stage. The output of the logistics regression algorithm is an estimate of the

possible pixels and the input of a particular pixel value. A very large lambda value will further add to the weight of the process, and if it is too much, it will cause it not to fit correctly. So, it is essential to how the lambda value is chosen appropriately. The technique of using lambda works very well to reduce the problem of over-fitting.

2.8. Artificial neural network

The neural network algorithm has two stages in the first training of data input as training data at the input layer, from layer to layer onwards will be proportional input pattern, and output pattern will be obtained from the output layer, if the input and output patterns are different aliases do not match the expected, the error is calculated and reprobated through the output layer network Back to the input layer, weight modified along with the backpropagation process [28]. Activation functions and learning algorithms will be carried out weight changes are carried out, and the backpropagation neural network is a complex layer that compounds can have 3 and so on layers, and are fully connected. Each nerve layer is connected to the nearest layer. Train the artificial neural network method with training data in the form of record records on tables and vectors that add weight until there is no change, achieved convergent conditions. Inputs in the form of several layers, number of neurons, learning rate, training data set, and epsilon. Output in the form of neural network methods for the classification of data or new vectors. Here are the steps of the backpropagation algorithm.

2.9. Evaluation

The study used confusion matrix terminology to evaluate Machine learning models for classification [29]. True Positive (TP): Object class detected correctly between prediction and actual. False Positive (FP): The detected class of objects is wrong between prediction and actual. False Negative (FN): Class object in a particular position and not detected by the model. True Negative (TN): There is no object class in a particular position, and the model cannot detect that object class. Using complexity matrix terminology, the following metrics are calculated.

$$Accuracy = (TP + TN) / (TP + TN + FP + FN) \quad (1)$$

$$Precision = TP / (TP + FP) \quad (2)$$

$$Recall = TP / (TP + FN) \quad (3)$$

$$F1-Score = 2 \times \frac{2 \text{ Precision} * \text{ Recall}}{\text{ Precision} + \text{ Recall}} \quad (4)$$

3. RESULTS AND DISCUSSION

The results of the study showed after testing segmentation methods and machine learning methods, first testing canny algorithm models with SVM, logistic regression, random forest, and artificial neural network algorithms, secondly conducting mask R-CNN tests with SVM, logistic regression, random forest, and artificial neural network algorithms. Two kinds of tests are carried out by dividing training and testing data with ratios of 90:10 and 80:20. The evaluation using accuracy = Acc, Precision = Prec, recall = Rec, F1-score = F1.

This section involves describing the results obtained from the research and drawing similarities and differences between the research and previous others from methods, data, and results. However, describe whether the problems have been researched successfully according to the objectives using the proposed methods. This should involve the description of the analysis conducted, cause and benchmark of success/failure, and the unfinished part of the research followed with the steps to be taken as follow up process.

Figure 5 shows the results of the SVM model with Canny segmentation and mask R-CNN achieving the highest accuracy of 82.52%, precision of 90.32%, recall of 80.49%, and F1-score of 82.44% with mask R-CNN, for the highest test ratio using 90:10. Figure 6 shows random forest model results with Canny segmentation and mask R-CNN achieving the highest accuracy of 84.39%, precision 88.46%, recall 80.47%, and F1-score 83.00% with mask R-CNN, for the highest test ratio using 80:20.

Figure 7 shows the results of the logistic regression model with Canny segmentation and mask R-CNN achieving the highest accuracy of 82.52%, recall 81.42%, and F1-score 82.18% with mask R-CNN while precision 84.43% with Canny algorithm, for the highest accuracy mask R-CNN using 90:10 ratio testing, and precision with a ratio of 80:20. Figure 8 shows the results of artificial neural network models with Canny and mask R-CNN segmentation achieving the highest accuracy of 82.52%, 87.00% precision, 79.00% recall, and 81.62% F1-score using the Canny algorithm for the highest test ratio using 90:10.




Figure 5. SVM algorithm testing results




Figure 6. Random forest testing result




Figure 7. Logistic regression testing result




Figure 8. Artificial neural network testing result

Figure 9 the result of a machine learning model with SVM algorithms, random forest, logistic regression, and artificial neural network with a test ratio of 90:10. The best algorithm performance is for 82.52% accuracy with SVM, logistic regression, and random forest algorithms with mask R-CNN segmentation while artificial neural networks use Canny segmentation. The best algorithm performance is for Precision of 90.32% with mask R-CNN segmentation SVM algorithm while artificial neural network uses Canny segmentation with 87.00% precision.

The best algorithm performance is to recall 82.44% using the logistic regression algorithm with mask R-CNN segmentation while artificial neural network and logistic regression use Canny segmentation with 79.00% precision. The best algorithm performance is for F1-Score 82.52% using the SVM algorithm with mask R-CNN segmentation while artificial neural network uses Canny segmentation with 81.62% precision.




Figure 9. Machine learning model results with a test ratio of 90:10

Figure 10 the result of machine learning models with SVM algorithms, logistic regression, random forest, and artificial neural network with a test ratio of 80:20. The best algorithm performance is for 84.35% accuracy using random forest algorithm with mask R-CNN segmentation while logistic regression forest uses Canny segmentation accuracy of 82.44%. The best algorithm performance is for a precision of 88.46% using random forest algorithms with mask R-CNN segmentation while SVM uses Canny segmentation with 87.11% precision. The best algorithm performance is to recall 80.47% using random forest algorithms with mask R-CNN segmentation while logistic regression uses Canny segmentation with 78.81% precision. The best algorithm performance is for F1-Score 83.00% using random forest algorithm with mask R-CNN segmentation while random forest uses Canny segmentation with 75.79% precision.




Figure 10. Machine learning model results with a test ratio of 80:20

The research in this paper discusses improving the accuracy of models with the approach of machine learning methods with the segmentation of the morphology of dairy cows. Figure 2 an example of the results of segmentation of the Canny algorithm with the mask R-CNN, the purpose of which is to improve the accuracy of the model when classification is carried out with machine learning methods such as SVM, logistic regression, random forests, and artificial neural network. Segmentation results can remove noise from the background of the image of a dairy cow.

Figure 5 explains that the SVM algorithm with a training ratio of 90:10 with the highest accuracy of 82.52% uses mask R-CNN which can outperform other algorithms. Figure 6 explains that the random forest algorithm with a training ratio of 80:20 with the highest accuracy of 84.39% uses mask R-CNN which can outperform the Canny algorithm.

Figure 7 explains that the logistic regression algorithm with a training ratio of 90:10 with the highest accuracy of 82.52% uses mask R-CNN which can outperform other algorithms. Figure 8 explains that the Artificial neural network algorithm with a training ratio of 90:10 with the highest accuracy of 82.52% uses Canny which can outperform the mask R-CNN algorithm. The best machine learning method used is 84.39% accuracy with random forest algorithms. While SVM, random forest, and artificial neural network get the same accuracy of 82.52%, artificial neural network uses canny algorithms.

4. CONCLUSION

Based on the results of research conducted using several machine learning algorithms and segmentation can be concluded. The mask R-CNN is better than the Canny algorithm influencing improved accuracy, precision, recall, and F1-Score. The highest accuracy reached 84.39% with the random forest algorithm with a test ratio of 90:10. Segmentation uses the highest Canny on the artificial neural network algorithm so it can be summed up with Canny appropriate for the artificial neural network algorithm. On the matching test, the ratio uses a 90:10 ratio on the dataset used. Future work can use deep learning methods to improve model accuracy.




REFERENCES

- [1] T. Van Hertem *et al.*, "Appropriate data visualisation is key to Precision Livestock Farming acceptance," *Computers and Electronics in Agriculture*, vol. 138, pp. 1–10, 2017, doi: 10.1016/j.compag.2017.04.003.
- [2] S. Pongnumkul, P. Chaovalit, and N. Surasvadi, "Applications of Smartphone-Based Sensors in Agriculture: A Systematic Review of Research," *Journal of Sensors*, vol. 2015, pp. 1–18, 2015, doi: 10.1155/2015/195308.
- [3] A. Otwinowska-Mindur, E. Ptak, J. Makulska, and O. Jarnecka, "Modelling Extended Lactations in Polish Holstein–Friesian Cows," *Animals*, vol. 11, no. 8, p. 2176, Jul. 2021, doi: 10.3390/ani11082176.
- [4] S. Soeharsono *et al.*, "Prediction of daily milk production from the linear body and udder morphometry in Holstein Friesian dairy cows," *Veterinary World*, vol. 13, no. 3, pp. 471–477, Mar. 2020, doi: 10.14202/vetworld.2020.471-477.
- [5] P. D. Katsoulos *et al.*, "Morphometrical study of bovine kidneys with and without mild histological lesions," *Morphologie*, vol. 104, no. 346, pp. 169–173, Sep. 2020, doi: 10.1016/j.morpho.2020.01.001.
- [6] J. Li, P. Wu, F. Kang, L. Zhang, and C. Xuan, "Study on the detection of dairy cows' self-protective behaviors based on vision analysis," *Advances in Multimedia*, vol. 2018, 2018, doi: 10.1155/2018/9106836.
- [7] N. C. Lynn, T. T. Zin, and I. Kobayashi, "Automatic Assessing Body Condition Score from Digital Images by Active Shape Model and Multiple Regression Technique," *Proceedings of International Conference on Artificial Life and Robotics*, vol. 22, pp. 311–314, 2017, doi: 10.5954/icarob.2017.os20-3.




- [8] A. Lina Zhang, B. Pei Wu, C. Tana Wuyun, D. Xinhua Jiang, E. Chuanzhong Xuan, and F. Yanhua Ma, "Algorithm of sheep body dimension measurement and its applications based on image analysis," *Computers and Electronics in Agriculture*, vol. 153, pp. 33–45, 2018, doi: 10.1016/j.compag.2018.07.033.
- [9] P. Tang, C. Wang, X. Wang, W. Liu, W. Zeng, and J. Wang, "Object Detection in Videos by High Quality Object Linking," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 42, no. 5, pp. 1272–1278, 2020, doi: 10.1109/TPAMI.2019.2910529.
- [10] R. W. Bello, A. S. A. Mohamed, and A. Z. Talib, "Contour Extraction of Individual Cattle from an Image Using Enhanced Mask R-CNN Instance Segmentation Method," *IEEE Access*, vol. 9, pp. 56984–57000, 2021, doi: 10.1109/ACCESS.2021.3072636.
- [11] S. Ren, K. He, R. Girshick, and J. Sun, "Faster R-CNN: Towards Real-Time Object Detection with Region Proposal Networks," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 39, no. 6, pp. 1137–1149, 2017, doi: 10.1109/TPAMI.2016.2577031.
- [12] K. He, G. Gkioxari, P. Dollár, and R. Girshick, "Mask R-CNN," *Proceedings of the IEEE International Conference on Computer Vision*, vol. 2017–Octob, pp. 2980–2988, 2017, doi: 10.1109/ICCV.2017.322.
- [13] H. Mollenhorst, Y. Bouzembrak, M. de Haan, H. J. P. Marvin, R. F. Veerkamp, and C. Kamphuis, "Predicting Nitrogen Excretion of Dairy Cattle with Machine Learning," *IFIP Advances in Information and Communication Technology*, vol. 554 IFIP, pp. 132–138, 2020, doi: 10.1007/978-3-030-39815-6_13.
- [14] S. Shahinfar, D. Page, J. Guenther, V. Cabrera, P. Fricke, and K. Weigel, "Prediction of insemination outcomes in Holstein dairy cattle using alternative machine learning algorithms," *Journal of Dairy Science*, vol. 97, no. 2, pp. 731–742, 2014, doi: 10.3168/jds.2013-6693.
- [15] S. Shahinfar, H. Mehrabani-Yeganeh, C. Lucas, A. Kalhor, M. Kazemian, and K. A. Weigel, "Prediction of breeding values for dairy cattle using artificial neural networks and neuro-fuzzy systems," *Computational and Mathematical Methods in Medicine*, vol. 2012, 2012, doi: 10.1155/2012/127130.
- [16] M. R. Borchers, Y. M. Chang, K. L. Proudfoot, B. A. Wadsworth, A. E. Stone, and J. M. Bewley, "Machine-learning-based calving prediction from activity, lying, and ruminating behaviors in dairy cattle," *Journal of Dairy Science*, vol. 100, no. 7, pp. 5664–5674, 2017, doi: 10.3168/jds.2016-11526.
- [17] K. Hempstalk, S. McParland, and D. P. Berry, "Machine learning algorithms for the prediction of conception success to a given insemination in lactating dairy cows," *Journal of Dairy Science*, vol. 98, no. 8, pp. 5262–5273, 2015, doi: 10.3168/jds.2014-8984.
- [18] W. Li, Z. Ji, L. Wang, C. Sun, and X. Yang, "Automatic individual identification of Holstein dairy cows using tailhead images," *Computers and Electronics in Agriculture*, vol. 142, pp. 622–631, 2017, doi: 10.1016/j.compag.2017.10.029.
- [19] M. Zaninelli *et al.*, "First evaluation of infrared thermography as a tool for the monitoring of udder health status in farms of dairy cows," *Sensors (Switzerland)*, vol. 18, no. 3, 2018, doi: 10.3390/s18030862.
- [20] J. R. Alvarez *et al.*, "Estimating body condition score in dairy cows from depth images using convolutional neural networks, transfer learning and model ensembling techniques," *Agronomy*, vol. 9, no. 2, 2019, doi: 10.3390/agronomy9020090.
- [21] S. Widiyanto, D. Sundani, Y. Karyanti, and D. T. Wardani, "Edge Detection Based on Quantum Canny Enhancement for Medical Imaging," *IOP Conference Series: Materials Science and Engineering*, vol. 536, no. 1, p. 012118, Jun. 2019, doi: 10.1088/1757-899X/536/1/012118.
- [22] P. Dollár and C. L. Zitnick, "Fast edge detection using structured forests," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 37, no. 8, pp. 1558–1570, 2015, doi: 10.1109/TPAMI.2014.2377715.
- [23] P. Arbeláez, M. Maire, C. Fowlkes, and J. Malik, "Contour Detection and Hierarchical Image Segmentation," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 33, no. 5, pp. 898–916, May 2011, doi: 10.1109/TPAMI.2010.161.
- [24] M. Juneja and P. S. Sandhu, "Performance Evaluation of Edge Detection Techniques for Images in Spatial Domain," *International Journal of Computer Theory and Engineering*, pp. 614–621, 2009, doi: 10.7763/ijcte.2009.v1.100.
- [25] R. Girshick, "Fast R-CNN," *Proceedings of the IEEE International Conference on Computer Vision*, vol. 2015 Inter, pp. 1440–1448, 2015, doi: 10.1109/ICCV.2015.169.
- [26] W. Hu, "Identifying predictive markers of chemosensitivity of breast cancer with random forests," *Journal of Biomedical Science and Engineering*, vol. 03, no. 01, pp. 59–64, 2010, doi: 10.4236/jbise.2010.31009.
- [27] T. Hastie, R. Tibshirani, and J. Friedman, *The Elements of Statistical Learning*. New York, NY: Springer New York, 2009.
- [28] O. I. Abiodun, A. Jantan, A. E. Omolara, K. V. Dada, N. A. E. Mohamed, and H. Arshad, "State-of-the-art in artificial neural network applications: A survey," *Heliyon*, vol. 4, no. 11, 2018, doi: 10.1016/j.heliyon.2018.e00938.
- [29] M. Grandini, E. Bagli, and G. Visani, "Metrics for Multi-Class Classification: an Overview," Aug. 2020, [Online]. Available: <http://arxiv.org/abs/2008.05756>.

BIOGRAPHIES OF AUTHORS






Amril Mutoi Siregar    received a B.Eng. degree in information technology from STMIK MIC Cikarang in 2008, and an M. Sc degree in information technology from president university in 2016. and now Ph. D student in IPB university. Currently, he is a lecturer of computer science at Buana perjuangan university. His research interests include Artificial intelligence, machine learning, deep learning, data mining, and data science. He can be contacted at email: amril.mutoi99@gmail.com.






Yohanes Aris Purwanto    received a B. Eng from IPB University in 1986, M. Sc and Ph, D degrees from the University of Tokyo in 1997 and 2000. Currently, He is a professor at IPB University. His research interests include Agricultural Engineering, Biodiesel Production, NIR, Partial Least Squares, Spectroscopy Bioprocess Engineering, PLS Biofuels Infrared Near Infrared Spectroscopy, Reactors Food Transesterification Chemometrics Hydroponics Biodiesel Mango Postharvest Postharvest Handling Porosity Partial Least Square Regression. He can be contacted at email: arispurwanto@app.ipb.ac.id.



Sony Hartono Wijaya    received a B. Eng from IPB University, an M. Sc degree from Indonesia University, and Ph, D degree from Nara Institute of Science and Technology, the Jepang University of Tokyo in 1997 and 2000. Currently, He is a lecture computer science major at IPB University. His research interests include Bioinformatics, Machine Learning, Data Mining, Information Retrieval, and Software Engineering. He can be contacted at email: sony@app.ipb.ac.id.



Nahrowi    received a B. Eng from IPB University in 1984, an M. Sc degree from Uppsala University, Swedia in 1990, and Ph, D degree from the University of Ehime, Japan in 1995. Currently, He is a professor at IPB University. His research interests include The Effect of Supplementation of DL-Methionine in Diet Containing Aflatoxin on Blood Profile of Broiler. The Effect of Supplementation of DL-Methionine in Diet Containing Aflatoxin on Broiler Performance. The Effect of Supplementation of DL-Methionine to Heat Stress. Novel product from palm kernel fruit. Novel product from a combination of agro-industrial by-products versification product from palm kernel meal. Efficiency Supplementation of DL-Methionine in Broiler Chickens Rainy Season. Bioconversion of Organic Waste into Dairy Cow Feed. Study of Complete Ration Silage Perication, Lactic acid Bacteria, and Organic Acids in One Groove to Realize Dairy Feed Resistance. Production of Additive Feeds and Protein Concentrates from Palm Kernel Meals as An Effort to Diversify Products Towards Poultry Feed Resistance. Bioinformatics, Machine Learning, Data Mining, Information Retrieval, Software Engineering. He can be contacted at email: nahrowi2504@yahoo.com.